



Document No. : CL-WS-0001

Rev. No. : 00

Page : 01

Date : 22.03.2023

TITLE

WEIGHT SPECIFICATION

2V ADVANCED VRLA @ C10

S.No.	MODEL	L(mm) ±3	W/D(mm) ±3	H(mm) ±3	WEIGHT(Kg) ±3%	Material	Terminal
1	GFM-100	80.7	173.0	268.0	7.2	ABS	M6
2	GFM-120	80.7	173.0	268.0	7.9	ABS	M6
3	GFM-150	84.0	173.0	268.0	8.5	ABS	M6
4	GFM-180	92.3	177.6	372.0	11.7	ABS	M8
5	GFM-200	92.3	177.6	372.0	13.1	ABS	M8
6	GFM-300	135.0	178.5	372.0	18.3	ABS	M8
7	GFM-400	164.0	179.5	373.0	24.1	ABS	M8
8	GFM-500	206.7	180.0	373.0	29.5	ABS	M8
9	GFM-600	235.5	180.5	373.0	35.0	ABS	M8
10	GFM-1000	419.6	181.6	382.0	60.0	ABS	M8

12V ADVANCED MONOBLOCK @ C20

1	CS 12-42	198.0	166.0	170.0	14.0	ABS	M6
2	CS 12-65	350.0	167.0	190.0	20.0	ABS	M6
3	CS 12-75	350.0	167.0	190.0	23.0	ABS	M6
4	CS 12-100	331.0	173.0	225.0	29.0	ABS	M8
5	CS 12-120	331.0	173.0	225.0	30.0	ABS	M8
6	CS 12-150	484.0	170.0	239.0	44.0	ABS	M8
7	CS 12-200	522.0	239.0	225.0	60.0	ABS	M8

12V ULTRAHYBRID MONOBLOCK @ C10

1	12V-100	497.0	176.0	281.0	43.0	ABS	M8
2	12V-120	497.0	176.0	281.0	47.0	ABS	M8
3	12V-150	497.0	176.0	281.0	49.5	ABS	M8